• PRINTER RUSH • (PTO ASSISTANCE)

Application :	ma		J Woitach	GAU:	1632
From:		Location: (IDG FMF FDC	Date:	
		Tracking #:	09 717 743 EPM	Week Date:	11.07.05
	DOC CODE 1449 1DS CLM IIFW SRFW DRW OATH 312 SPEC	DOC DATE	MISCELL Continuing Foreign Price Document Fees Other	Data ority	
[RUSH] MES	SAGE: CHIEF DRAFTA Some tiguie copy of		Please provid Set of Drawing	4. 1	hanks
[XRUSH] RE		m insiled		INIT	IALS: WG

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.

REV 10/04



UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICATION NUMBER	2035FILING DATE	FIRST NAME APPLICANT	ATTORNEY DOCKET NUMBER
09/717743	11/21/2000	Rajesh Ranganathan	01997/521003

CLARK & ELBING LLP 101 FEDERAL STREET BOSTON MA 02110

Examiner: Woitach, Joseph

Art Unit 1632

Sheet No.

Date Mailed: January 9, 2006

Notice Regarding Drawings

Corrected drawings for the above-identified application, received in the USPTO on November 21, 2000 still not acceptable for the reason(s) identified on the attached PTO-948. Applicant is given one opportunity to correct the informalities within a two-month time period from the mailing date of this Notice. THIS TIME PERIOD IS NOT EXTENDABLE UNDER EITHER 37 CFR 1.136(a) OR 1.136(b). Failure to take corrective action within the set period will result in abandonment of the application.

ATTACHMENT: PTO-948 Notice of Draftsperson's Patent Review

RETURN CORRECTED DRAWINGS TO: Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450 Form PTO-948 (Rev. 06/03) 7777743

If you have questions, call (703) 305-8404.

U.S. DEPARTMENT OF COMMERCE U.S. Patent and Trademark Office

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

categories of drawings: Black ink or Color (3 ests required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Photographs any not be mounted. 37 CFR 1.84(b) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(c) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) Berasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(f): Acceptable sizes: Sheet(s) Drawings sheets not an acceptable size. Fig(s) S. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top Z5 cm Left 2.5 cm Right 1.5 cm Botograph. 1.0 cm Myfigins not acceptable. Fig(s) Mombers and reference characters not oriented the same direction as the view. 37 CFR 1.84(f): Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p): Numbers. letters and reference characters not oriented the same direction as the view. 37 CFR 1.84(p):		
Erasures, alterations, overwritings. interlineations, folds, copy machine marks not accepted. Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) Drawings sheets not an acceptable size. Fig(s) Top 25 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Branch Remarks not acceptable size. Fig(s) CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3) Fig(s) Sheets on tumbered consecutively, and in Aranumbers beginning with number 1. Sheet(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(n) Sheets not numbered consecutively, and in Aranumbers beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted.	categories of drawings: Black ink or Color (3 sets required). Color drawings are not acceptable until petition is granted. Fig(s) Pencil and non black ink not permitted. Fig(s) Pencil and non black ink not permitted. Fig(s) One (1) full-tone set is required. Fig(s) Photographs may not be mounted. 37 CFR 1.84(e) Photographs must meet paper size requirements of 37 CFR 1.84(f). Fig(s) Poor quality (half-tone). Fig(s) 3. TYPE OF PAPER. 37 CFR 1.84(e) Paper not flexible, strong, white, and durable.	9. SCALE. 37 CFR 1.84(k) Scale not large enough to show mechanism without crowding when drawing is reduced in size to two-thirds in reproduction. Fig(s) 10. CHARACTER OF LINES, NUMBERS, & LETTERS. 37 CFR 1.84(l) Lines, numbers & letters not uniformly thick and well defined, clean, durable, and black (poor line)
Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or 21.6 cm by 27.9 cm (8 1/2x 11 inches) All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 25 cm Left 2.5 cm Right 1.5 cm Bottom (1) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain an legible. Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(Fig(s) English alphabet not used. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(4) Sheets not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black shading not permitted. Ethas properties and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Lead lines missing. Fig(s) 15. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black snrface shading is not permitted. Ethas properties and reference characters not oriented	Erasures, alterations, overwritings. interlineations,	11. SHADING. 37 CFR 1.84(m)
All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins: Top 2.5 cm Left 2.5 cm Right 1.5 cm Bottom 1.0 cm Margins not acceptable. Fig(s) Yop (T) Left (L) Right (R) Bottom (B) 6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted experately or prometric description of the Drawings, and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers and reference characters not oriented the same direction as the view. 37 CFR 1.84(p)(2) Fig(s) Numbers. letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) 13. LEAD LINES. 37 CFR 1.84(q) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) 15. NUMBERING OF VIEWS. 37 CFR 1.84(u) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Sourface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex	Fig(s) 4. SIZE OF PAPER. 37 CFR 1.84(f): Acceptable sizes: 21.0 cm by 29.7 cm (DIN size A4) or	Solid black shading not permitted. Fig(s) 12. NUMBERS, LETTERS, & REFERENCE CHARACTERS. 37 CFR 1.84(p) Numbers and reference characters not plain and
Fig(s) Numbers, letters and reference characters must at least 32 cm (1/8 inch) in height. 37 CFR 1.84(p)(3). Fig(s) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Solid black surface shading is not permitted experiments. Fig(s) Solid black surface shading is not permitted experiments.	All drawing sheets not the same size. Sheet(s) Drawings sheets not an acceptable size. Fig(s) 5. MARGINS. 37 CFR 1.84(g): Acceptable margins:	Numbers and reference characters not oriented in the same direction as the view. 37 CFR 1.84(p) Fig(s)
6. VIEWS. 37 CFR 1.84(h) REMINDER: Specification may require revision to correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) 1.84(p)(3). Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING on the Number of the Drawings, must likewise be changed. Sheets not numbered consecutively, and in Arabic or Roman numbers. Fig(s) Views not numbered consecutively, and in Arabic or Roman numbers. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted experiments.	Margins not acceptable. Fig(s) Top (T) Left (L)	Fig(s)Numbers, letters and reference characters must be
correspond to drawing changes, e.g., if Fig. 1 is changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the specification, at the Brief Description of the Drawings, must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Lead lines missing. Fig(s) 14. NUMBERING OF SHEETS OF DRAWING Sheets not numbered consecutively, and in Aranumbers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex	6. VIEWS. 37 CFR 1.84(h)	1.84(p)(3). Fig(s)
must likewise be changed. Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with Arabic or Roman numbers. Fig(s) Arabic or Roman numbers. Fig(s) Sheets not numbered consecutively, and in Aranumbers beginning with number 1. Sheet(s) Views not numbered consecutively, and in Aranumerals, beginning with number 1. Fig(s) 16. DESIGN DRAWINGS. 37 CFR 1.152 Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted experiments.	changed to Fig. 1A, Fig 1B and Fig. 1C, etc., the	14. NUMBERING OF SHEETS OF DRAWINGS
Surface shading shown not appropriate. Fig(s) Solid black surface shading is not permitted ex	Views not labeled separately or properly. Fig(s) 7. SECTIONAL VIEWS. 37 CFR 1.84(h)(3) Sectional designation should be noted with	Views not numbered consecutively, and in Arab numerals, beginning with number 1. Fig(s)
color contrast. Fig(s)	Addie of Roman numbers. Fig(s)	Fig(s) Solid black surface shading is not permitted exceed when used to represent the color black as well as

Attachment to Paper No.

Extraneous comments:

- Rocale holes pended in top delas (Fig. 1-3,648)

- Views unpossabled to they sheets (Fig. 1-3,648)

- Views unexplaced (Fig. 4,5,9A-11)

- Fishels placed measurable (Fig. 4,5,9A-11)

- datas observing by shading (Fig. 17)